

This list is maintained by:

Alan H. Bridle, NRAO

Charlottesville, Virginia 22903-2475, U.S.A.

Please feel free to use it for any research purpose. Acknowledgement of its contribution to any publication that makes extensive use of it will however be appreciated, as many man-hours have gone into compiling it.

Jets:

IAU Name	Other Name(s)	ID	z	Pcore	Ptot 1465	Ljet kpc	S	FR	Contact
0017+154	3C 9	Q	2.0120	25.45	28.15	22.50	1	C	Bridle
0017+257	4C25.01	Q	0.2800	25.47	25.66	65.92	0	II	Gower
0033+183	3C 14	Q	1.4690	25.58	27.80	64.21	1	II	Laing
0034+25A	B2	G	0.0321	21.83	23.13	52.97	2	I	Parma
0038-019	4C-02.04	Q	1.6900		27.52	42.18	1	II	Barthel
0043+201		G	0.1063	23.35	25.05	51.77	2	WT	O'Donoghue
0048+509	3C 22	G	0.9380	24.97	27.45	54.92	0	II	Fernini
0053+26B		G	0.1916	23.24	25.00		1	NT	Gregorini
0055+265	NGC 326	G	0.0472	22.29	24.60	25.31	2	I	Ekers
0055+300	NGC 315	G	0.0167	23.24	24.07	235.79	3	I	Bridle
0104+321	3C 31=NGC383	G	0.0169	22.45	24.19	14.31	2	I	Bridle
0106+013	4C01.02	Q	2.1070	28.34	28.64	18.22	1	C	Wardle
0106+729	3C33.1	G	0.1810	23.76	26.09	157.16	3	II	Leahy
0110+297	4C29.02	Q	0.3630	25.15	26.09	122.37	0	II	Wardle
0123-016	3C 40	G	0.0186	22.35	24.37	37.69	2	I	O'Dea
0123-016A	NGC 541	G	0.0187	21.51	23.54	23.68	2	I	v Breugel
0127+233	3C 43	Q	1.4590	25.93	27.97	4.28	1	C	Fanti
0130+24	4C24.02	Q	0.4570	25.11	26.19	92.41	1	II	Wardle
0133+207	3C 47	Q	0.4250	25.23	26.91	66.21	0	II	Burns
0134+329	3C 48	Q	0.3670	25.96	27.40	1.54	1	O	Wilkinson
0136-427	NGC 641	G	0.0205		22.91		2	I	Jenkins
0149+359	NGC 708	G	0.0160	21.14	22.62	4.52	2	I	Laing
0153+744	S5	Q	2.3380	27.70	28.46	0.05	1	O	Witzel
0206+355	UGC01651	G	0.0373	23.15	24.50	16.78	2	I	Parma
0220+427	3C 66B	G	0.0215	22.59	24.68	45.16	2	I	Pooley
0235+017	NGC1004	G	0.0220	22.23	23.10	30.78	2	I	Condon
0238+085	NGC1044	G	0.0214	22.54	23.79	43.16	2	I	Cornwell
0238+100	MC5	Q	1.8160	26.16	27.04	41.71	1	II	Barthel
0240-002	3C 71=NGC1068	G	0.0040	20.99	22.92	0.29	2	?	Wilson
0246+181	UGC02296	G	0.0334		23.68	137.49	2	I	Condon
0247+467	B3	G	0.0500	23.09	24.57	300.23	2	NT	Bridle
0255+05A	3C 75A	G	0.0241	22.40	24.32	30.24	0	I	Owen
0255+05B	3C 75B	G	0.0241	22.40	24.26	30.24	2	I	Owen
0256+132	4C13.17B	G	0.0748	22.30	24.07	15.33	2	NT	O'Dea
0304+575	GT							II	Duric
0305+039	3C 78=NGC1218	G	0.0289	23.77	24.81	0.60	1	I	Cornwell
0307+444	4C44.07	Q	1.1650	26.60	27.50	8.60	1	II	Saikia
0314+416	NGC1265	G	0.0255	22.15	24.81	17.73	2	NT	Owen
0316+413	3C 84=NGC1275	G	0.0177	24.87	24.65	4.99	1	C	Readhead
0320-373	NGC1316=ForA	G	0.0063	20.99	24.72	2.72	2	II	Fomalont
0326+396	UGC02755	G	0.0243	22.70	24.05	40.64	2	I	Bridle
0336-356	NGC1399	G	0.0049	20.41	22.89	2.12	2	I	Killeen
0356+102	3C 98	G	0.0306	22.88	24.98	50.63	0	II	Bridle
0405-123	OF-109	Q	0.5740	26.60	27.12	59.96	0	II	Rusk
0415+379	3C111	G	0.0485	24.47	25.57	77.86	1	II	Perley
0430+052	3C120	G	0.0334	24.93	24.74	82.49	1	I	Walker
0445+449	3C129	G	0.0208	22.19	24.57	8.75	1	NT	Burns
0448+519	3C130	G	0.1090	23.58	25.57	396.43	0	I	Bridle

IAU Name	Other Name(s)	ID	z	Pcore	Ptot 1465	Ljet kpc	S	FR	Contact
0448+52	3C130N	G	0.1090	22.93	24.59	66.07	3	I	Bridle
0449-175	PK	G	0.0313	22.03	23.92	10.34	2	I	Ekers
0459+252	3C133	G	0.2775	25.33	26.71	14.42	1	II	Laing
0514-161	PK	Q	1.2780	27.32	27.24	33.16	1	O	Perley
0518+165	3C138	Q	0.7590	26.29	27.85	1.52	3	C	Fanti
0521-365	PK	B	0.0550	24.65	25.68	4.73	1	II	Danziger
0538+498	3C147	Q	0.5450	26.78	27.93	0.77	1	II	Readhead
0546-329	PK	G	0.1470	23.90	ERROR	201.56	0	?	Ekers
0609+710	4C70.05=Mrk3	G	0.0137	22.95	23.33	0.49	1	O	Pedlar
0658+330	B2	G	0.1270	23.98	24.82	55.38	2	?	O'Dea
0704+35A	4C35.16A	G	0.0780	21.83	24.27	16.90	2	I	O'Dea
0710+118	3C175	Q	0.7680	25.29	27.28	89.68	1	II	Bridle
0712+534	4C53.16	G	0.0640	22.96	24.82	12.52	0	II	Burns
0723+679	3C179	Q	0.8460	26.62	27.37	18.29	1	II	Shone
0730+257	4C25.21	Q	2.6860	26.36	27.89	22.67	1	C	Barthel
0740+380	3C186	Q	1.0630	25.31	27.33	4.28	1	II	Fanti
0742+318	4C31.30	Q	0.4620	26.24	26.54	206.33	1	II	Neff
0749+379	4C37.20	Q	1.2000		26.83		0	II	Condon
0755+379	NGC2484	G	0.0433	23.60	24.71	43.82	3	?	Parma
0800+249	B2	G	0.0430	22.48	23.48	17.42	2	NT	Burns
0800+608	OJ601	Q	0.6890	25.63	26.78	67.45	1	C	Browne
0802+103	3C191	Q	1.9560	26.36	28.06	12.34	1	C	Laing
0812+020	4C02.23	Q	0.4020	25.60	26.56	32.23	0	II	Rudnick
0812+367	B2	Q	1.0250	27.10	27.20	29.87	1	C	Perley
0824+294	3C200	G	0.4580	24.98	26.72	41.11	1	II	Clarke
0833+585	S4	Q	2.1010	27.64	27.51	44.56	0	?	Perley
0833+654	3C204	Q	1.1120	25.70	27.37	55.81	1	II	Bridle
0833-016	NGC2616	G	0.0300	22.84	23.98	74.53		I	Condon
0836+290		G	0.0680	23.75	24.64	43.16	1	WT	Parma
0836+299	4C29.30	G	0.0643	22.68	24.48	20.95	3	II	Parma
0836+710	4C71.07	Q	2.1600	27.26	28.09	0.05	1	O	Witzel
0838+133	3C207	Q	0.6840	26.45	27.22	24.95	1	II	Wardle
0843-336	NGC2663	G	0.0061		22.87	7.89	2	I	Jenkins
0844+319	4C31.32	G	0.0675	23.35	24.87	58.62	1	II	v Breugel
0850+140	3C208	Q	1.1100	25.98	27.63	20.17	0	II	Bridle
0850+581	4C58.17	Q	1.3220	27.26	27.39	30.12	1	II	Barthel
0852+493	GB	G					2	I	Condon
0855+143	3C212	Q	1.0490	25.38	27.59	22.23	1	II	Laing
0903+169	3C215	Q	0.4110	24.55	26.53	40.40	1	?	Bridle
0906+430	3C216	Q	0.6680	26.81	27.36	0.03	1	C	Barthel
0908+376	B2	G	0.1040	23.48	24.88	25.42	1	II	Condon
0908-103		G	0.1290	23.24	25.04	136.40	2	WT	O'Donoghue
0913+385	B2	G	0.0711	22.05	24.29	15.58	2	I	Parma
0915+320	B2	G	0.0620	22.71	24.08	44.60	2	I	Parma
0915-118	3C218=HydA	G	0.0650	24.01	26.31	8.46	2		Perley
0917+458	3C219	G	0.1744	24.18	26.44	36.32	1	II	Bridle
0923+392	4C39.25	Q	0.6990	27.57	27.61	7.97	1	II	Wardle
0938+391	4C39.27	Q	0.6180	25.00	26.98	96.04	1	II	Wardle
0957+003	4C00.34	Q	0.9070	26.02	27.02	75.69	0	II	Hintzen
0957+561	Double QSO	Q	1.4050	26.28	27.10	21.46	1	II	Burke
1001+22	4C22.26	Q	0.9740	25.73	26.94	30.56	0	II	Wardle
1003+351	3C236	G	0.0989	24.64	25.77	0.37	1	II	Fomalont
1004+130	4C13.41	Q	0.2400	23.87	25.90	59.76	1	II	Fomalont
1004+14	NGC3121	G	0.0310	22.97	24.06	76.88	2	I	Cornwell
1005+282	B2	G	0.1476	22.68	24.28	202.19	2	WT	Parma
1007+417	4C41.21	Q	0.6130	25.83	26.90	76.64	1	II	Clarke
1028+313	OL347	Q	0.1800	24.62	25.04	15.65	1	II	Gower
1029+570	HB13	G	0.0340	22.50	23.72	279.64	2	I	Strom
1033+003	PK	G	0.0670	23.33	24.44	9.13	1	II	Cornwell
1040+123	3C245	Q	1.0280	27.32	27.67	10.67	1	II	Foley

IAU Name	Other Name(s)	ID	z	Pcore	Ptot 1465	Ljet kpc	S	FR	Contact
1100+772	3C249.1	Q	0.3110	24.93	26.44	21.62	1	II	Bridle
1108+272	B2	G	0.0331	22.28	23.02	18.18	1	I	Parma
1113+295	4C29.41	G	0.0489	23.08	24.71	13.07	1	II	Parma
1116+281	B2	G	0.0667	23.17	24.34	129.86	2	I	Parma
1122+390	NGC3665	G	0.0067	20.46	21.75	3.27	2	I	Hummel
1131+498	IC708	G	0.0321	22.74	24.12	35.32	2	NT	Bridle
1137+180	NGC3801	G	0.0105	20.59	23.04	2.10	2	I	Laing
1137+660	3C263	Q	0.6560	25.96	27.23	62.61	0	II	Bridle
1142+198	3C264	G	0.0208	23.09	24.42	3.50	0	NT	Baum
1144+352	B2	G	0.0630	24.37	24.40	24.68	0	I	Parma
1150+497	4C49.22	Q	0.3340	25.89	26.42	23.39	1	C	Perley
1156+295	4C29.45	Q	0.7290	27.08	27.09	10.07	1	?	McHardy
1159+583	4C58.23	G	0.1018		25.05	6.24	1	WT	O'Donoghue
1209+745	4CT74.17.1	G	0.1070	23.26	24.97	121.02	1	II	v Breugel
1216+061	3C270=NGC4261	G	0.0073	22.25	24.04	31.43	2	I	Kronberg
1217+023	PK	Q	0.2400	25.33	25.67	119.52	0	C	Neff
1222+131	3C272.1=M84	G	0.0051	21.72	23.23	3.53	2	I	Bridle
1226+023	3C273	Q	0.1580	26.98	27.15	39.06	1	O	Perley
1226+105	MC2	Q	2.2960	26.60	27.80	11.88	1	II	Barthel
1228+126	3C274=M84	G	0.0051	22.92	24.77	1.76	1	C	Owen
1231+674	4C67.21	G	0.1062		25.04	12.93	2	WT	O'Donoghue
1241+166	3C275.1	Q	0.5570	25.74	27.07	35.96	0	II	Burns
1243+267	B2	G	0.0891	22.20	24.52	44.60	2	WT	Parma
1250-102	NGC4760	G	0.0138	22.14	23.26	2.94	2	I	Laing
1251+273	NGC4789	G	0.0270	21.16	23.54	6.74	2	I	Laing
1251+278	3C277.3=ComA	G	0.0857	22.98	25.36	10.78	1	II	Baum
1251-122	3C278=NGC4783	G	0.0138	22.13	24.21	13.71	2	I	Cornwell
1253-055	3C279	Q	0.5360	27.45	27.58	9.87	1	C	Perley
1254+277	NGC4839	G	0.0249	21.19	22.63	4.85	2	I	Parma
1256+281	NGC4869	G	0.0235	21.08	22.89	2.62	0	NT	O'Dea
1257+282	NGC4874	G	0.0239	20.83	23.08	3.33	3	WT	Feretti
1258+404	3C280.1	Q	1.6590	26.21	27.82	42.28	1	C	Swarup
1258-321	PK	G	0.0175	22.61	23.74	3.70	2	I	Perley
1308+182	4C18.36	Q	1.6890	25.79	27.12	14.76	1	II	Barthel
1308-441	PK	G	0.0515	23.55	24.38	233.07	1	WT	Jones
1311-270	PK	Q	2.1950	26.59	27.59	20.04	1	II	Barthel
1313+073	4C07.32	G	0.0507	22.88	24.72	33.79	2	WT	Salter
1315+347	B2	Q	1.0500	26.76	26.97	8.55	1	O	Perley
1316+299	4C29.47	G	0.0728	23.25	24.91	112.26	2	I	Condon
1317+520	4C52.27	Q	1.0600	26.77	27.36	59.91	0	II	Owen
1321+318	NGC5127	G	0.0161	21.77	23.83	54.61	2	I	Parma
1322+366	NGC5141=4C36.24	G	0.0175	22.38	23.43	6.66	2	I	Parma
1322-427	NGC5128=CenA	G	0.0017	22.20	24.60	5.17	3	I	Burns
1328+307	3C286	Q	0.8490	26.97	28.18	9.57	3	O	Perley
1333-337	IC4296	G	0.0129	22.61	24.04	128.33	2	WT	Killeen
1336+391	3C288	G	0.2460	23.90	26.37	6.07	1	?	Bridle
1347+604	NGC5322	G	0.0070	20.84	21.61	7.04	2	I	Hummel
1354+195	4C19.44	Q	0.7200	27.01	27.16	72.25	1	II	Rusk
1354+258	PK	Q	2.0320	26.16	27.21	16.33	1	C	Barthel
1357+287	B2	G	0.0629	22.43	24.04	24.65	2	WT	Parma
1358-113	PK	G	0.0250	22.78	24.10	81.43	2	II	Brodie
1400+162	4C16.39	Q	0.2400	24.95	25.73	14.34	1	?	Gower
1407+177	NGC5490	G	0.0163	22.00	23.67	69.09	2	I	Jenkins
1414+110	3C296=NGC5532	G	0.0237	22.67	24.41	49.59	2	I	Laing
1422+268	B2	G	0.0370	22.25	24.00	17.66	2	I	Parma
1433+177	4C17.59	Q	1.2030	26.83	27.52	17.22	1	II	Saikia
1433+533		G	0.1396			16.13	2	WT	O'Donoghue
1441+522	3C303	G	0.1410	24.62	25.73	26.02	0	II	Kronberg
1448+634	3C305	G	0.0410	22.57	24.72	0.94	2	?	v Breugel
1450+28	B2	G	0.1265	22.81	24.36	37.30	2	I	Parma

IAU Name	Other Name(s)	ID	z	Pcore	Ptot	Ljet	S	FR	Contact
					1465	kpc			
1451-375	PK	Q	0.3140	26.24	26.35	16.94	1	?	Perley
1452+165	3C306=IC4516	G	0.0456		24.50	73.56	2	II	Condon
1453+120	UGC09602	G	0.0320	22.41	23.97	79.22	2	I	Burns
1458+718	3C309.1	Q	0.9040	26.56	27.99	3.78	1	C	Wilkinson
1509+158	4C15.45	Q	0.8280	25.98	27.10	28.98	0	II	Saikia
1510-089	PK	Q	0.3610	26.40	26.76	24.40	3	O	O'Dea
1521+288	B2	G	0.0825	23.52	24.71	93.92	1	I	Parma
1525+290	B2	G	0.0653	22.07	24.01	9.34	2	I	Parma
1528+290	B2	G	0.0843	22.55	24.22	83.99	2	II	Parma
1529+242	3C321	G	0.0960	23.52	25.54	23.76	1	II	Baum
1553+245	B2	G	0.0426	23.02	23.37	20.72	2	I	Parma
1557+707	4C70.19=NGC6048	G					2	?	Peacock
1613+275	B2	G	0.0647	22.71	24.04	15.17	2	I	Parma
1615+425		G	0.1310	23.20	24.19	13.81	2	NT	O'Dea
1618+177	3C334	Q	0.5550	25.75	26.96	62.95	1	II	Bridle
1622+238	3C336	Q	0.9270	25.42	27.51	25.31	1	II	Bridle
1623+41	NGC6146	G	0.0300	22.75	23.11	0.79	1	C	Wrobel
1626+278	3C341	G	0.4480	23.49	26.78	111.94	1	II	Bridle
1636+379	4C37.48	G	0.1610		25.24		1	WT	O'Donoghue
1637+29	B2	G	0.0880	22.84	24.42	66.20	2	NT	Parma
1637+826	NGC6251	G	0.0230	23.66	24.13	160.62	1	?	Perley
1638+32	B2	G	0.1398	24.10	24.69	29.07	1	I	Parma
1638+398	NRAO512	Q	1.6600	27.53		13.11	1	II	Wardle
1638+538	4C53.37	G	0.1098	23.21	ERROR	39.88	2	NT	Burns
1641+173	3C346	G	0.1621	24.83	26.04	8.51	1	C	van Breugel
1641+399	3C345	Q	0.5940	27.51	27.55	14.41	1	C	Perley
1642+690	4C69.21	Q	0.7510	26.96	27.07	17.44	1	C	Browne
1643+274	B2	G	0.1017	22.68	24.11	62.37	1	I	Parma
1648+050	3C348=HerA	G	0.1540	23.61	27.08	118.38	1	?	Dreher
1658+302	4C30.31	G	0.0351	22.97	23.89	21.61	3	II	Parma
1658+575	4C57.29	Q	2.1730	26.46	27.36	22.10	1	O	Barthel
1704+608	3C351	Q	0.3710	24.14	26.77	74.27	1	II	Bridle
1709+460	3C352	G	0.8057	24.46	27.22	24.71	1	II	Laing
1717-009	3C353	G	0.0304	23.05	25.74	39.83		II	Bridle
1721+343	4C34.47	Q	0.2060	25.22	25.86	237.04	1	II	Barthel
1732+160	4C16.49	Q	1.2960	25.37	27.35	38.75	1	II	Barthel
1736+32A	B2	G	0.0741	22.93	23.74	14.25	2	I	Parma
1747+303	B2	G	0.1297	22.94	23.97	91.33	1	II	Parma
1752+325	B2	G	0.0449	22.67	23.48	30.21	2	I	Parma
1759+211	4C21.51	G	0.0800	23.11	24.79	20.32	1	II	Cornwell
1807+279	4C27.41	Q	1.7600	27.29	27.65	13.42	0	C	Perley
1807+698	3C371	B	0.0510	24.62	24.83	2.04	1	O	Perley
1816+475	4C47.48	Q	2.2250	26.20	27.52	11.98	1	II	Barthel
1823+568	4C56.27	B	0.6640	26.88	26.93	11.78	1	O	O'Dea
1827+32	B2	G	0.0659	23.10	24.08	77.08	2	I	Parma
1828+487	3C380	Q	0.6910	27.32	27.98	0.14	0	C	Perley
1842+455	3C388	G	0.0908	23.76	25.71	18.13	1	II	Burns
1857+566	4C56.28	Q	1.5950	25.72	27.56	61.60	1	C	Owen
1919+479	4C47.51	G	0.1030	23.36	25.15	214.31	1	WT	Burns
1924+507	4C50.47	Q	1.0980	26.69	27.06	40.75	1	II	Owen
1928+738	4C73.18	Q	0.3020	26.49	26.58	41.40	3	C	Simon
1939+605	3C401	G	0.2010	23.50	26.36	24.36	1	II	Laing
1940+504	3C402N	G	0.0247	22.08	24.30	82.56	2	I	Pooley
1954+513	OV591	Q	1.2300	27.53	27.67	43.06	1	II	Wardle
1957+405	3C405=CygA	G	0.0570	24.39	27.74	47.36	3	II	Perley
2019+098	3C411	G	0.4680	25.50	26.95	27.67	0	II	Dreher
2037+511	3C418	Q	1.6860	28.12	28.39	9.28	1	O	Muxlow
2040-267	PK	G	0.0403	22.79	24.65	81.99	2	I	Brodie
2043+749	4C74.26	Q	0.1040	24.68	25.02	190.63	1	II	Riley
2058-135	IC1347	G	0.0296	22.16	24.08	53.14	2	I	Brodie

IAU Name	Other Name(s)	ID	z	Pcore	Ptot 1465	Ljet kpc	S	FR	Contact
2058-282	PK	G	0.0380	22.20	24.91	46.56	0	I	Brodie
2104-25N	PK	G	0.0389	22.92	24.99	24.33	1	II	Cameron
2104-25S	PK	G	0.0389	22.94	24.88	237.97	1	I	Cameron
2106+494	3C428	?					0	II	Higgs
2116+262	NGC7052	G	0.0164	22.12	22.71	83.40	2	I	Laing
2121+248	3C433	G	0.1016	22.77	26.14	29.91	0	C	v Breugel
2153+377	3C438	G	0.2920	23.99	26.84	21.64	2	II	Laing
2201+14	UGC11889=IC1427	G					2	I	Condon
2201+315	4C31.63	Q	0.2970	26.21	26.28	54.65	1	II	Gower
2209+152	MC3	Q	1.5020	25.79	26.85	34.18	1	II	Barthel
2221-023	3C445	G	0.0570	23.51	25.29	210.50	1	II	v Breugel
2223-052	3C446	Q	1.4040	27.67	28.27	1.07	1	O	Simon
2229+391	3C449	G	0.0171	22.07	24.05	19.30	2	I	Cornwell
2236+350	B2	G	0.0277	21.75	23.46	8.44	2	I	Parma
2237+26	NGC7728	G	0.0314	23.00	23.48	38.91	2	I	Condon
2251+134	4C13.85	Q	0.6730	26.39	26.88	14.59	1	II	Saikia
2251+158	3C454.3	Q	0.8590	28.01	28.05	20.84	1	O	Wilkinson
2300-189	PK	Q	0.1290	24.90	25.44	68.20	1	I	Condon
2305+187	4C18.68	Q	0.3130	24.99	26.06	4.51	1	?	Gower
2316+184	OZ127	G	0.0395	22.41	23.69	16.09	2	NT	O'Dea
2318+079	NGC7626	G	0.0112	21.31	23.15	6.39	2	I	Laing
2325+293	4C29.68	Q	1.0150	26.37	27.34	85.27	1	II	Wardle
2335+267	3C465=NGC7720	G	0.0293	23.37	24.83	24.29	1	WT	Owen
2336-176		G	0.0698		24.95	20.73	3	WT	O'Donoghue
2338+042	4C04.81	Q	2.5940	27.15	28.26	4.59	0	O	Barthel
2349+327	4C32.69	Q	0.6710	25.15	26.52	98.46	1	II	Wardle
2354+471	4C47.63	G	0.0460	22.49	24.61	37.08	3	I	Burns
2357+004	PK	G	0.0839	23.07	24.53	63.53	1	II	Downes

256 jets in above list, status: Jet

IAU Name	Other Name(s)	ID	z	Pcore	Ptot	Ljet	S	FR	Contact
						1465			kpc
0039+211		G						NT	O'Dea
0039-097		G	0.0518	22.32	23.55	13.78	2		O'Dea
0051+29	4C29.01	Q	1.8280	26.88	27.53	9.58	0	O	Barthel
0053-016		G					0	NT	O'Dea
0055-01	3C 29	G	0.0447	22.96	25.04	36.11	2		Baum
0107+31	3C 34	G	0.6900	23.60	27.00	47.63	1		Laing
0109+176	4C17.09	Q	2.1570		27.39	20.13	1	II	Barthel
0120+33	NGC 507	G	0.0164	20.61	22.56		0		de Ruiter
0123+32	3C 41	G	0.7940	24.18	27.48	49.27		II	Laing
0131-29	NGC 613	G	0.0084	20.51		0.60	2		Hummel
0131-367	NGC 612	G	0.0300		24.73		0		Ekers
0136+396	4C39.04	G	0.2110		25.89		2	I	Vigotti
0137+01	4C01.04	Q	0.2580		26.04		0		Hintzen
0207+095	4C09.08	G	0.0000				0		Antonucci
0212+17	MC3	Q	0.4720	25.96	25.91		0		Neff
0224+671	4C67.05								
0225+381		G	0.0500		23.70		2	I	Vigotti
0229+34	3C 68.1	Q	1.2380	24.40	27.74	94.74	3	II	Bridle
0244+152	UGC02252	G					2	*	Condon
0300+16	3C 76.1	G	0.0324	21.95	24.46		0		Jenkins
0327+24A	B2	G	0.1070	22.98	24.61	13.01	2		O'Dea
0333+32	NRAO140	Q	1.2580	27.80	27.98		0		Marscher
0457+05		G	0.0541	21.81	23.70	17.92	0		O'Dea
0501+380	3C134	G?					2	II	Leahy
0549-07	NGC2110	G	0.0000				0	I	Ulvestad
0605-085	PK, OH-010	Q	0.8700	27.34	27.49	20.05	1	O	O'Dea
0634-20	MSH06-210	G	0.0560	22.70	25.37		0		v Breugel
0703+42	4C42.23	G	0.0000				0		Burns
0716+71	S5	B	0.0000				0		Perley
0722+300	B2	G	0.0191	22.03	22.74	1.34	0		Parma
0735+178	OI158	B	0.4240	26.62		6.61		O	O'Dea
0757+395	B3	G	0.0570	22.86	23.60	67.66	2	I	Vigotti
0758+143	3C190	Q	1.2000	25.95	27.76	6.89	1	II	Spencer
0805+046	4C05.34	Q	2.8770		28.13	11.07	1	C	Feigelson
0814+547	4C54.16	G	0.1170	23.23	24.72		0	I	Burns
0834+369		?					0		Condon
0902+480		?					0		Condon
0905-09	26W20	G	0.0000				0		Harris
0907-091		G	0.0000				0		O'Dea
0926+79	3C220.1	G	0.0000				0		Burns
0947+145	3C228	G	0.5524	24.81	27.13		0		Laing
0956-26	NGC3078	G	0.0000				0		Hummel
1009+74	4C74.16	G					1		Laing
1015+491	GB	G					2		Condon
1038+528A		Q	0.0000				0		Marcaide
1040+317		G	0.0360	22.79	24.10	6.89	0		Parma
1055+018	4C01.28	Q	0.8880	27.51	27.58				Murphy
1055+499	5C02.56	Q	2.3900	26.81	27.41	9.40	1	O	Barthel
1102+30	B2	G	0.0720	22.72	24.28	13.90	2		Parma
1103-006	4C-00.43	Q	0.4260	25.24	26.39	33.14	0	II	Hintzen
1104+167	4C16.30	Q	0.6340	26.33	26.66		0		Hintzen
1107-372	NGC3557	G	0.0089		22.66	14.01	2	I	Birkinshaw
1132+492	IC711	G	0.0324		23.37		0		O'Dea
1206+439	3C268.4	Q	1.4000	25.97	27.79	19.32	1	II	Laing
1208+39	NGC4151	G	0.0030	20.62	21.56		0		Wilson
1218+33	3C270.1	Q	1.5190	26.85	27.96	8.54	1	II	Burns
1221+809	S5	*					1	II	Saikia
1222+21	4C21.35	Q	0.4350	24.80	26.55		0		Hintzen
1300+32	B2	G	0.1640	22.45	25.06			NT	Parma
1317+25	4C25.42	G	0.1340	22.91	24.85		2		Burns

IAU Name	Other Name(s)	ID	z	Pcore	Ptot	Ljet	S	FR	Contact
					1465	kpc			
1318+113	4C11.45	Q	2.1710	25.40	28.26	12.06	1	C	Barthel
1319+64	4C64.18	G	0.2300	23.58	25.59		0		Burns
1323+655	4C65.15	Q	1.6180	25.48	27.29	16.96		II	Barthel
1328+254	3C287	Q	1.0550	26.97	28.06	0.34	1	C	Fanti
1330+075	NGC5209	G						WT	Condon
1345+584	4C58.27	Q	2.0390	25.90	27.56	16.31	1	C	Barthel
1346+268	4C26.42	G	0.0630		24.45		0		v Breugel
1348-012	PK	Q	2.0700		26.99		1	O	Downes
1350+316	3C293	G	0.0452	24.50	25.01		1		Cornwell
1351+363	NGC5352	G	0.0266	22.03	23.20	16.62	0		Jenkins
1353+185	UGC08850	G	0.0500		23.98		2	NT	Condon
1404+344	3C294	G	1.7790	25.03	27.86	16.74	1		Laing
1415+253	NGC5548	G	0.0164				0		Wilson
1419+419	3C299	G	0.3670		26.68	7.69	1	C	van Breugel
1422+202	4C20.33	Q	0.8710		27.26		0		Feigelson
1504-166	OR-102	Q	0.8760	27.16		0.01	1		Padrielli
1508-05	4C-05.64	Q	1.1910	27.32	27.92		0		Perley
1512+370	4C37.43	Q	0.3710	25.03	26.20			II	Shaffer
1539+350	GB	G					0		Condon
1540+180	4C18.43	Q	1.6620	26.86	27.45	12.68	0	II	Barthel
1545+210	3C323.1	Q	0.2600	24.45	26.29	100.71	0	II	Gower
1548+114	4C11.50	Q	0.4360	25.74	ERROR		1		Hintzen
1555+332	GC	Q	0.9420		26.46		0		Feigelson
1615+35	NGC6109=4C35.40	G	0.0296	22.49	ERROR		0		O'Dea
1626+396	3C338	G	0.0303	23.18	24.53		1		Burns
1636+473	4C47.44?	Q	0.7400		ERROR		0		Wilkinson
1637+574	OS562	Q	0.7450	27.12		5.26	0	C	Wardle
1658+320	4C32.52??	G					0		O'Dea
1702+298	4C29.50	Q	1.9270	26.41	27.87	2.06	1	C	Lonsdale
1705+786		G					0		O'Dea
1712+638		G	0.0821				0		O'Dea
1739+18	4C18.51	Q	0.1900	24.02		183.13	0	II	Gower
1815+70		G					0		O'Dea
1830+285	4C28.45	Q	0.5940	26.41	26.90		0		Hintzen
1833+326	3C382	G	0.0586	23.86	25.32		0		Dreher
1845+797	3C390.3	G	0.0569	24.16	25.65		0		Preuss
1848+70	UGC11363	G					2	I	Condon
1850+702		G					0		O'Dea
2007+777	S5	B	0.3420	26.15	26.56				Antonucci
2013-308		G					2	?	Ekers
2120+16	3C432	Q	1.8050	25.62	27.93	31.32	0		Bridle
2200+42	BL Lac	B	0.0690		25.37		0		Mutel
2201+04	4C04.77	G	0.0280		23.87		0		Antonucci
2203+292	3C441	G	0.7080		27.24	39.97	1		Laing
2213-156	PK	Q						II	Downes
2216-038	4C-03.69	Q	0.9010	26.94	27.07		1		Perley
2217+08N	4C08.66N	Q	0.6227				0		Harris
2217+08S	4C08.66S	Q	0.2282				0		Harris
2247+113	NGC7385=4C11.71	G	0.0244		24.17	3.40	0	NT	Eilek
2248+192	4C19.74	Q	1.8060	25.78	27.54	12.53	1	II	Barthel
2249+185	3C454	Q	1.7570		28.02	1.68		C	Spencer

111 jets in above list, status: Poss